

## Bagging Films

Material number 1025

Revision date: 8/4/2015 Version: Language: Date of first version: 10/10/2014

Page: 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Bagging Films** Trade name:

> NBF125C, Big Blue L-100, Securlon® V-45, Securlon® L-500Y, Securlon® L-1000, Securion® L-2000, Stretchion® 200, Stretchion® 700, Stretchion® 800, Stretchion® 850, Stretchlon® HT-350, Ipplon® KM1300, Ipplon® DP1000, Ipplon® DPT1000, Ipplon® WN1500, Wrightlon® 600V, Wrightlon® 5400, Wrightlon® 6400, Wrightlon® 7400, Wrightlon® 8400, Dahlar® Release Bag 125, Dahlar® Release Bag 375R, Dahlar® Release Bag 460, Dahlar® Release Bag 500, Econolon, Airdraw 2, Thermalimide,

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Article: Vacuum bagging film

Thermalimide E

### 1.3 Details of the supplier of the safety data sheet

Company name:

Airtech International, Inc. Airtech Europe Sarl

5700 Skylab Road Zone industrielle Haneboesch

Huntington Beach, CA 92647 L-4562 Differdange

E-mail: airtech@airtechintl.com Luxembourg

Website: www.airtechonline.com Website: www.airtech.lu Telephone: +1 714.899.8100 Telephone: +352 582.282 Dept. responsible for information: Dept. responsible for information:

Telephone: +1 714.899.8100 Telephone: +352 582.282 E-mail: airtech@airtechintl.com E-mail: sales@airtech.lu

Tygavac Advanced Materials Ltd. Airtech Asia Ltd. Ltd.

The Causeway 888 Airtech Avenue **Broadway Business Park** Huangtai Industrial Development

Chadderton, Oldham

Center

OL9 9XD United Kingdom Xiaozhan Country, Jinnan District

Tianjin, China 300353 Website: www.tygavac.co.uk

Telephone: +44 161.947.1610 E-mail: airtechasia@airtechintl.com

Dept. responsible for information: Website: www.airtech.asia Telephone: +44 161.947.1610 Telephone: +86 22.8622.9800 E-mail: sales@tygavac.co.uk Dept. responsible for information: Telephone: +86 22.8622.9800

E-mail: airtechasia@airtechintl.com

### 1.4 Emergency telephone number

**CHEMTREC EMERGENCY PHONE:** 

Great Britain (London): +(44)-870-8200418

International: +1 703-741-5970

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Article not subject to hazard labelling or classification.



# Bagging Films

Material number 1025

Revision date: 8/4/2015 Version: Language: Date of first version: 10/10/2014

Page: 2 of 8

### 2.2 Label elements

### Labelling (CLP)

Precautionary statements: not applicable

### Labelling (67/548/EEC or 1999/45/EC)

S phrase(s): not applicable

#### 2.3 Other hazards

Toxic fumes may be emitted at elevated temperatures. Do not breathe vapour. Processing, e.g. by cutting, sawing or grinding, can produce particles and dust. Avoid inhalation of dusts, as even inert dusts may functionally affect respiratory organs.

## **SECTION 3: Composition / information on ingredients**

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: Article: Thermoplastic films

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

In case of inhalation: In case of inhalation of decomposition products, affected person should be moved into

fresh air and kept still. If the casualty has difficulty breathing, call a doctor immediately.

Following skin contact: After contact with molten product, cool skin area rapidly with cold water. Do not peel

solidified product off the skin. Seek medical attention.

In the event of irritation from processing vapours: Immediately flush eyes with plenty of After eye contact:

flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent

symptoms, consult an opthalmologist.

After swallowing: Not a probable route of exposure.

In the case of the formation of dust: Rinse mouth. Seek medical treatment in case of

troubles.

### 4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation:

Inhalation of dust may cause irritation of the respiratory system. Overheating released mist or vapours can irritate the respiratory tracts.

Other symptoms: Cough, respiratory complaints, dizziness, nausea, vomiting.

After contact with skin: The melted product can cause severe burns.

After eye contact:

Process vapours can irritate the eyes. Dust contact with the eyes can lead to mechanical

irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



# **Bagging Films**

Material number 1025

Revision date: 8/4/2015 Version: 2 Language: en-GB,IE Date of first version: 10/10/2014

Page: 3 of 8

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media:

Water fog, extinguishing powder, foam, carbon dioxide

Extinguishing media which must not be used for safety reasons:

High power water jet.

### 5.2 Special hazards arising from the substance or mixture

This material is combustible, but will not ignite readily. Toxic fumes may be emitted at

elevated temperatures.

In case of fire may be liberated: Caprolactam, nitrogen oxides (NOx), amines, carbon

monoxide and carbon dioxide

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Hazchem-Code: -

Seal off endangered area. Cool endangered containers with water spray and, if possible, remove from danger zone. Use water spray jet to knock down vapours. Do not breathe

fumes. Do not allow fire water to penetrate into surface or ground water.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

At processing: Avoid formation of aerosols/vapours. Avoid generation of dust. Avoid inhalation and contact with skin and eyes. Wear protective equipment. Keep unprotected people away. Ensure adequate ventilation, especially in confined areas.

### 6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Dispose of waste according to applicable legislation.

#### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advices on safe handling: Handle in accordance with good industrial hygiene and safety practice.

At processing: Provide adequate ventilation, and local exhaust as needed. Avoid formation of aerosols/vapours. Avoid generation of dust. Avoid inhalation and contact with skin and eyes. Wear protective equipment. Keep unprotected people away. When using do not eat, drink or smoke.

Precautions against fire and explosion:

Take standard precautions to prevent fire.



# **Bagging Films**

Material number 1025 Page:

Revision date: 8/4/2015 Version: 2 Language: en-GB,IE Date of first version: 10/10/2014

4 of 8

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep in a cool place. Keep container dry. Protect from direct sunlight. Keep away from

incompatible materials. Store at room temperature.

Hints on joint storage: Incompatible materials: Strong bases, strong acids, strong oxidizing agents.

Keep away from food and drinks.

Storage class: 11 = Combustible solids

### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Occupational exposure limit values:

Туре	Limit value
Great Britain: WEL-TWA	10 mg/m³ Dust limit value inhalable fraction
Great Britain: WEL-TWA	4 mg/m³ Dust limit value respirable fraction
Ireland: 8 hours	10 mg/m³ Dust limit value inhalable fraction
Ireland: 8 hours	4 mg/m³ Dust limit value respirable fraction

#### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

In case of development of vapours or dust (at processing): Use local exhaust.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: Respiratory protection is not necessary if room is well ventilated.

At processing:

If vapours form, use respiratory protection. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing

apparatus must be used.

Hand protection: Recommendation:

Protective gloves according to EN 374. Glove material: nitrile rubber (0.11 mm)

Breakthrough time: 480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: At processing (recommended): Safety glasses in accordance with EN 166.

Body protection: At processing (recommended): Wear suitable protective clothing.

General protection and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and after work. When using do not eat, drink or smoke.

At processing

Avoid contact with skin, eyes, and clothing. Do not breathe vapours. Do not breathe dust.



# **Bagging Films**

Material number 1025

Revision date: 8/4/2015 Version: 2 Language: en-GB,IE Date of first version: 10/10/2014

Page: 5 of 8

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance: Form: solid

Colour: varying

Odour: odourless

Odour threshold: no data available

pH value:

Melting point/freezing point:
Initial boiling point and boiling range:
Flash point/flash point range:
Evaporation rate:

no data available
no data available
no data available

Flammability: This material is combustible, but will not ignite readily.

no data available **Explosion limits:** no data available Vapour pressure: Vapour density: no data available Density: no data available at 20 °C: insoluble Water solubility: no data available Partition coefficient: n-octanol/water: no data available Auto-ignition temperature: Thermal decomposition: no data available no data available Viscosity, kinematic: no data available Explosive properties: no data available Oxidizing characteristics:

### 9.2 Other information

Additional information: no data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Refer to section: Possibility of hazardous reactions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions with proper and specified storage and handling.

### 10.4 Conditions to avoid

Keep away from heat. Protect from direct sunlight. Avoid generation of dust. Avoid formation of aerosols/vapours.

### 10.5 Incompatible materials

Strong bases, strong acids, strong oxidizing agents.



## **Bagging Films**

Material number 1025

Revision date: 8/4/2015 Version: 2 Language: en-GB,IE Date of first version: 10/10/2014

Page: 6 of 8

### 10.6 Hazardous decomposition products

In case of fire may be liberated: Caprolactam, nitrogen oxides (NOx), amines, carbon

monoxide and carbon dioxide

Thermal decomposition: no data available

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Toxicological effects: Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data. Eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information: Toxic fumes may be emitted at elevated temperatures. Processing, e.g. by cutting,

sawing or grinding, can produce particles and dust. Dust may irritate airways and cause

bronchitis symptoms.

Information about Caprolactam: Harmful if swallowed. Harmful if inhaled. Causes skin

irritation. Causes serious eye irritation. May cause respiratory irritation.

### **Symptoms**

In case of inhalation:

Inhalation of dust may cause irritation of the respiratory system. Overheating released mist or vapours can irritate the respiratory tracts.

Other symptoms: Cough, respiratory complaints, dizziness, nausea, vomiting.

After contact with skin: The melted product can cause severe burns.

After eye contact:

Process vapours can irritate the eyes. Dust contact with the eyes can lead to mechanical

irritation.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

### 12.2. Persistence and degradability

Further details: Product is not biodegradable.

Effects in sewage plants: The insoluble part can be precipitated mechanically in suitable sewage treatment plants.



## **Bagging Films**

Material number 1025

Revision date: 8/4/2015 Version: 2 Language: en-GB,IE Date of first version: 10/10/2014

Page: 7 of 8

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

Waste key number: 07 02 13 = Waste plastic

Recommendation: Dispose of waste according to applicable legislation. Recycling or special waste

incineration.

### Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be

recycled.

## **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

#### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.5 Environmental hazards

Marine pollutant: No

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.



# **Bagging Films**

Material number 1025

Revision date: 8/4/2015 Version: 2 Language: en-GB,IE Date of first version: 10/10/2014

Page: 8 of 8

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

### **SECTION 16: Other information**

#### **Further information**

Reason of change: General revision **Department issuing data sheet** 

Contact person: see section 1: Dept. responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

This data sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, and which additional precautions may be necessary. All health and safety information contained in this data sheet should be provided to your employees and customers. It is your responsibility to develop appropriate workplace instructions and training programmes for employees.

As the conditions and methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. All statements or suggestions are made without warranty, expressed or implied, regarding accuracy of information, the hazards connected with the use of the product or the results to be obtained from the use thereof.